

Department of Physics

Examination paper for FY2290: Energy Resources

ENGLISH - pages 1-9

Academic contact during examination:

Irina Sorokina Tel: +47 91897909 (mobile)

Technical support during examination: Orakel support services Tel: +47 73 59 16 00

Examination date: 19-05-2021 Examination time: 09:00 – 13:00

Permitted examination support material: All support material is allowed. English language.

Other information: The exam is in two parts. Part 1 is multiple choice, part 2 is written answers that may contain brief description of each step in calculation. Answer all questions in both parts **as detailed as possible**. The percentage of marks awarded for each question is shown. An Appendix of useful information is provided at the end of the question sheet.

Make your own assumptions: If a question is unclear/vague, make your own assumptions and specify them in your answer. Only contact academic contact in case of errors or insufficiencies in the question set.

Saving: Answers written in Inspera are automatically saved every 15 seconds. If you are working in another program remember to save your answers regularly.

Several questions require uploading of scans of handwritten solutions. All files must be uploaded before the examination time expires. **30 minutes** are added to the examination time to manage the sketches/calculations/files; be aware that that the additional time is **only** meant for digitalization of hand drawings and/or file uploading. (The additional time is included in the remaining examination time shown in the top left-hand corner.)

How to digitize your sketches/calculations

U. Cop

Signature

How to create PDF documents

Remove personal information from the file(s) you want to upload

Cheating/Plagiarism: The exam is an individual, independent work. Examination aids are permitted, but make sure you follow any instructions regarding citations. During the exam it is not permitted to communicate with others about the exam questions, or distribute drafts for solutions. Such communication is regarded as cheating. All submitted answers will be subject to plagiarism and cheating control. Read more about cheating and plagiarism here. https://innsida.ntnu.no/wiki/-/wiki/English/Cheating+on+exams

Language: English

Number of pages: 9 (including cover)

Checked by:

Irina Sorokina

Date 10.05.2021

Part 1. Multiple Choice Questions (56%).

Answer all questions. There is only one correct answer so you must choose the best answer. Answer A, B, C... (Capital letters). A correct answer gives for each of the problems 4 percentage points (4%) in total towards the final score. Incorrect answers will be awarded -1 percentage points (-1%), blank (unanswered) questions, or multiple answers to the same question will be awarded 0 points (0%).

Only the answer will be marked.

Write the answers for the multiple choice questions on the answer sheet you turn in using a table similar to the following (note that the answers in this table are examples of how you should do it):

Question	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Answer	D	C	A	В	Е	A	C	A	Е	D	В	A	A	A	C

Good luck!

Problems:

- 1. Recall the world consumption graph. What is the proportion of fossil fuels in the world consumption?
 - A. 30%
 - B. 87%
 - C. 63%
 - D. 33%
- 2. What is the part of nuclear energy according to the world consumption graph?
 - A. 2%
 - B. 4%
 - C. 7%
 - D. 9%
- 3. What is the part of renewables (hydro including) according to the world consumption graph?
 - A. 2%
 - B. 4%
 - C. 7%
 - D. 9%

- 4. A bicyclist expends energy at the rate of 60 Watt. How many calories of energy will he expend in 5 minutes of driving?
 - A. 3600
 - B. 12
 - C. 4300
 - D. 7200
- 5. Only about 20% of the potential energy of gasoline is used in powering an automobile. The remaining energy is lost as a low-quality heat. This is an example of the
 - A. First Law of Thermodynamics
 - B. Law of Conservation of Energy
 - C. First-law efficiency
 - D. Second Law of Thermodynamics
- 6. At what temperature does the fusion reaction: $^2D + ^3T \rightarrow ^4He + n + Energy begin to occur?$
 - A. 1000 K
 - B. 10^{8} K
 - $C. 10^5 K$
 - D. 5800 K
- 7. A small cabin style diesel-fired electrical generation station burns 2×10^3 litres of diesel per day. The conversion efficiency from fuel to mechanical motion is 38%, and the generator operates with an efficiency of 95%. What is the power rating of this plant in MWe?
 - A. 3
 - B. 52
 - C. 0.3
 - D. 2900
- 8. With an albedo of 0.3 and an atmosphere with a long-wavelength transmission of 0.15 and a short wavelength transmission of 0.85 we have seen that the equilibrium temperature of the Earth is around 287 K. A gas is introduced into the atmosphere that decreases the mean long wavelength transmission of the atmosphere from 0.15 to 0.12. If the mean short wavelength transmission of the atmosphere remains unchanged at 0.85 and the albedo remains at 30%, what is the resulting temperature of the Earth?
 - A. 287 K
 - B. 293 K
 - C. 300 K
 - D. 289 K

- 9. How large an area needs to be covered with solar cells to generate 11 TWh of electric energy in one year? Assume that the annual solar irradiation is 900 kWh.m⁻² and that the solar cell has a typical efficiency of 15%.
 - $A. 42 \text{ km}^2$
 - B. 81 km²
 - C. 102 km²
 - E. 1640 km^2
- 10. About 80% of energy released in nuclear fission reactions generates heat (thermal energy) that is used to produce electricity on a nuclear power plant. What is the nature of this thermal energy?
 - A. Collision of neutrons released in nuclear fission reactions and the moderator
 - B. Collisional energy exchange between the nuclear fission products and surrounding matter
 - C. Absorption of gamma rays by the reactor walls
 - D. Friction between particles emitted in fission and the moderator
- 11. The commercial nuclear power reactors are based on nuclear fission reactions induced by:
 - A. protons,
 - B. electrons,
 - C. photons,
 - D. neutrons.
- 12. The mechanism of extracting energy from biomass is
 - A. fusion,
 - B. fission,
 - C. combustion (burning),
 - D. emission of radiation.
- 13. Photovoltaic cells converting sunlight to electricity can be built with
 - A. fissile materials,
 - B. semiconductor materials,
 - C. tritium,
 - D. helium.

14. A star generates energy by nuclear fusion reaction of H nuclei into helium

 $4p \rightarrow {}_{2}^{4}He + 2e^{+} + 2\nu + 18.3 \, MeV$. It fuses 6×10^{8} tons of hydrogen per second. What is the total energy in MeV the star produces per second?

A. 3.14×10¹⁰ MeV per sec

B. 1.65×10³⁹ MeV per sec

C. 2.06×10⁻¹¹ MeV per sec

D. 6.02×10⁶⁴ MeV per sec

Part 2. Calculations (44%)

Answer all questions. The number in brackets represents the contribution of each subquestion to the total score.

All questions should be answered. NO CREDIT will be given for a correct numerical answer unless the work is shown!

- 1. [11%] Calculate the power in megawatts during outflow from a tidal power plant that encloses a rectangular area of 1×2.5 km, and which fills to a height of 3.6 m above the outlet. Assume an efficiency of 94%, and an emptying time of 1.5 hour.
- 2. [11%] In a submitted patent an inventor claims to have developed a novel heat engine that operates with a not so hot nonpolluting flame at 150C and transfers waste heat to the environment at 20C. His promotional flyer claims that 45% of the fuel energy is converted into useful work. Calculate the maximum efficiency of such an engine and compare it to the claim.
- 3. The oceans contain about $1.3 \times 10^{24} \, \text{cm}^3$ of water. Deuterium constitutes 0.028% by mass of natural hydrogen.
- a) [6%] What is the total energy in Joules available from this Deuterium by D-D fusion? Assume 4. 0 MeV per fusion event.
- b) [5%] For how many years could fusion reactors with 50% efficiency supply 2.0 million MW?
- 4. [11%] The world primary energy consumption in 2017 was approximately 13 000 Mtoe. Assuming that flat panel solar cells at a sunny location in Spain can harvest 8 kWh/m 2 /day, what area is required (at that location) to supply the energy needs of the earth?

APPENDIX

Energy conversion factors

	J	kWh	Btu	toe
1 Joule (J)	1	2.78 x 10 ⁻⁷	9.5 x 10 ⁻⁴	2.38 x 10 ⁻¹¹
1 kilowatt-hr (kWh)	3.6 x 10 ⁶	1	3413	8.6x10 ⁻⁵
1 calorie (cal)	4.184	1.16 x 10 ⁻⁶	3.97x 10 ⁻³	1x 10 ⁻¹⁰
1 British thermal unit (Btu)	1055	2.93 x 10 ⁻⁴	1	2.5 x 10 ⁻⁸
1 Electron volt (eV)	1.6x 10 ⁻¹⁹	4.45x 10 ⁻²⁶	1.52 x 10 ⁻²²	3.8 x 10 ⁻³⁰

Storage material	MJ per kilogram	MJ per liter (litre)
Deuterium-tritium	330 000 000	0.14
Uranium-235	83 140 000[3]	1 546 000 000
Hydrogen (compressed at 70 MPa)	123	5.6
Gasoline (petrol) / Diesel	~46	~36
Propane (including LPG)	46.4	26
Fat (animal/vegetable)	37	
Coal	24	
Carbohydrates (including sugars)	17	
Protein	16.8	
Wood	16.2	

Density of water $1.02 \times 10^3 \text{kg/m}^3$ density of air $\sim 1.2 \text{ kg/m}^3$ acceleration due to gravity 9.8 m/sec^2 Avogadro's number $6.02 \times 10^{23} \text{(# per mole)}$

Formulas

$$P(t) = \frac{1}{\beta} \left(1 - \frac{Q(t)}{Q_{-}} \right) Q(t)$$

$$Q(t) = \frac{Q_{-}}{1 + Ae^{-t/\beta}}$$

$$P(t) = P_0 \left(\frac{Q_{-}}{Q_0} \right)^2 \frac{e^{-t/\beta}}{(1 + Ae^{-t/\beta})^2}$$

$$\beta = (Q_{-} - Q_0) \frac{Q_0}{Q_{-}P_0}$$

$$t_{-} = \left(1 - \frac{Q_0}{Q_{-}} \right) \frac{Q_0}{P_0} \ln \left(\frac{Q_{-}}{Q_0} - 1 \right)$$

$$P_{-} = P(t_{-}) = \frac{Q_{-}^2 * P_0}{4Q_0(Q_{-} - Q_0)}$$

$$P_{-} = \frac{\Delta E}{\Delta t}$$

$$\eta = 1 - \frac{Q_L}{Q_H}$$

$$\eta_{corroot} = 1 - \frac{T_L}{T_H}$$

$$COP = \frac{Q_H}{Q_H - Q_L} = \frac{T_H}{T_H - T_L}$$

$$P = \frac{hc}{\lambda}; hc = 1.98 \times 10^{-25} J m$$

$$hc = 1.23 \times 10^{-6} eV \cdot m$$

$$P = \frac{1}{2}R$$

$$I_0 = \frac{P}{A} = 6.5 \times 10^{-4} V M^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 = \frac{\pi R^2}{4\pi R^2} = 342 W / m^2$$

$$I_0 =$$

Periodic Table of the Elements

l H Ilydrogen I																	He
2 Li	Be					? He	← Protoc					5 B	ć	7 N	, v	F	Ne
Letterm	Benjima					Hetrem	Name	of element				Sorce II	Carbon	Naropca	Utypen	Phonae 19	Neon
	12					L <u>+</u>	- Ketau	ve atomic m	836				12	14	16		20
Na	Mg											Al	Si	15 P	16 S	CI	H
Nedous 23	Magarian 24											43041 DEC	Viliana 28	Physicans 11	Sulfer 32	Observe 35.5	Arpm 40
19	20	21	22	2.3	24	25	26	27	2 K	29	.10	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Min	Fe	Co	Ni	Cu	Zn	Ga	Ge	An	Se	Br	Kr
Pritzinom 39	Calcium 4()	Scandon 45	Titasium 48	Varadenta 51	Cherman 52	Manganou 55	8mm 56	(1444) 59	Net# 59	Cappur 64	/mc 65	(iallina 7()	73	Arrae: 75	79	HII)	Krypton 84
37	3.0	39	40	41	42	43	44	45	46	47	48	48	50	51	52	53	34
Rb	Sr	Y	Zr	Nb	Nb	Tc	Ru	Rh	Pd	Λg	Cd	In	Sn	Sb	Te	ı	Xe
Refulteen RG	Novembers 88	Ythrom 89	Ziecemans 91	Nadeum 93	Nadoum 96	Tectorium 9X	Rechanges 101	Khaben 103	Pattadium 106	Min 108	Calmum 112	Indoorn 115	Tin 119	Anticum; 122	Felhouen 128	6 siles 127	Venue 131
55	56	57	72	7.3	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Ti	Pb	Bi	Po	At	Rn
Cestum 133	0.01000 1.57	Larchassen 139	Halaum 179	Tancalum (X)	Tunpern 35-1	Rhrmon 186	Overence 190	tration 192	Platenum 193	Gold 197	Mmwy 201	Thellium 204	1 e sa 207	Grenosth 209	74 minus 210	Astarine 210	Radm 222
x 7	XX	80	104	105	106	107	108	109									
Fr	Ra	Ac	Unq	Unp	Unh	Uns	Uno	Une									
Francisco 223	Radium 226	Actualism 227	l'ententies 257	260	tembrum 263	1 malupus 262	Heaterna 203	1 tracemen 266									

58	59	60	61	62	6.3	64	65	66	67	68	69	70	71
Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
Cenus. 140	141	Nondyman 144	Prograticum 147	Samenum 150	Tunquen 152	Calsicum 157	Terbuca 159	Dysprens 1,36	Holmum 165	Fabrum 167	Thubson 169	Yelecheum 173	Latertown 175
90	91	42	91	94	95	96	97	98	99	100	101	102	103
Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
Thorses 232	Proactinum 231	Urannum 238	Neptumen 217	Pletomen 244	Americium 243	Cunuca 247	Dertamen 247	1 attenues 340	254	Fermen 253	*#####################################	Nobelium 254	1 sermon 257

Heat of combustion (calorific value) of various fuels.

Fuel	MJ/kg	MJ/L
Wood green	~ 8	~ 6
Wood oven dry	~ 16	~ 12
Methane	56	0.038
petrol/gasoline	47	37
crude oil	44	35
Coal	27	