

Part 1. Multiple Choice Questions (60%).

Answer all questions. There is only one correct answer so you must choose the best answer. Answer A, B, C... (Capital letters). A correct answer gives for each of the problems **4 percentage points (4%)** in total towards the final score. Incorrect answers will be awarded **-1 percentage points (-1%)**, blank (unanswered) questions, or multiple answers to the same question will be awarded **0 points (0%)**.

Only the answer will be marked.

Write the answers for the multiple choice questions on the answer sheet you turn in using a table similar to the following (note that the answers in this table are examples of how you should do it):

Question	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Answer	D	C	A	B	E	A	C	A	E	D	B	A	A	A	C

Good luck!

Problems:

1. Recall the world consumption graph. What is the part of renewables (hydro and nuclear including) according to the world consumption graph?

- A. 4%
- B. 7%
- C. 15%
- D. 30%

2. What is the part of nuclear energy according to the world consumption graph?

- A. 2%
- B. 4%
- C. 7%
- D. 9%

3. According to the latest statistical report of BP 2018, what are the three countries with the biggest total proved reserves of oil?

- A. Venezuela, United Arab Emirates, Iran
- B. Norway, Iraq, Iran
- C. Venezuela, Saudi Arabia, Canada
- D. Saudi Arabia, Canada, Iraq

4. What country is a net exporter of bioethanol?

- A. USA
- B. Argentina
- C. Brazil
- D. UK

*Both, USA and Brazil are net producers of bioethanol, so both answers, a and c are correct.

5. A bicyclist expends energy at the rate of 60 Watt. How many calories of energy will he expend in 10 minutes of driving?

- A. 120
- B. 3600
- C. 7200
- D. 8600

6. With an albedo of 0.3 and an atmosphere with a long-wavelength transmission of 0.15 and a short wavelength transmission of 0.85 we have seen that the equilibrium temperature of the Earth is around 287 K. A gas is introduced into the atmosphere that decreases the mean long wavelength transmission of the atmosphere from 0.15 to 0.12. If the mean short wavelength transmission of the atmosphere remains unchanged at 0.85 and the albedo remains at 30%, what is the resulting temperature of the Earth?

- A. 287 K
- B. 289 K
- C. 293 K
- D. 300 K

$$\Rightarrow \epsilon \sigma B T_e^4 = (S(1-a)/4) * ((1+\tau_s)/(1+\tau_L)), \text{ solve for } \epsilon/S:$$

$$\epsilon/S = (0.7/(4 \times 5.7 \times 10^{-8} \times 287^4)) (1.85/1.15) = 7.28 \times 10^{-4} \text{ m}^2/\text{W} \text{ substitute at a new } \tau_L$$


$$T_{new} = 289\text{K}$$

7. Calculate the wavelength (λ_{\max}) for the maximum intensity of the black body radiation from a human being, assuming a surface temperature of 32°C.

- A. 15 microns
- B. 0.2 microns
- C. 500 nm
- D. 9.5 microns
- E. 794 nm

$$\lambda_{\max} = 2898 / (32 + 273) = 9.5 \text{ microns}$$

8. A star generates energy by nuclear fusion reaction of H nuclei into helium



It fuses 6×10^8 tons of hydrogen per second. What is the total energy in MeV the star produces per second?

- A. 3.14×10^{10} MeV per sec
- B. 1.65×10^{39} MeV per sec
- C. 2.06×10^{-11} MeV per sec
- D. 6.02×10^{64} MeV per sec

Solution:

$$\begin{aligned} 6 \times 10^8 \text{ tons of hydrogen} &\Rightarrow 6 \times 10^{14} \text{ g of hydrogen} \Rightarrow \\ \text{number of } {}^1\text{H} &= 6 \times 10^{14} \times 6.02 \times 10^{23} = 3.61 \times 10^{38} \text{ atoms} \Rightarrow \\ 3.61 \times 10^{38} / 4 &= 9.03 \times 10^{37} \text{ reactions} \Rightarrow \\ 9.03 \times 10^{37} \times 18.3 &= 1.65 \times 10^{39} \text{ MeV per sec} \end{aligned}$$

9. The commercial nuclear power reactors are based on nuclear fission reactions induced by:

- A. protons,
- B. electrons,
- C. photons,
- D. neutrons.

10. The amount of energy released in the fusion process: ${}^2\text{D} + {}^3\text{T} \rightarrow {}^4\text{He} + n$?

- A. 1.76 KeV
- B. 17.6 KeV
- C. 1.76 MeV
- D. 17.6 MeV

11. What is the half-life of tritium in years?

- A. 0.5

- B. 12.3
C. 32
D. 64

12. During COVID in 2020 the world consumption of primary energy fell down to 13200 MTOE. Assume that the wind blows at 13m/s for 1/3 of the time (and that there is no wind at other times), that the efficiency of a wind turbine is 70% of the maximum theoretical value and the density of air is 1.2 kg/m^3 . How many wind turbines with a diameter of 60m would be needed to supply this total energy?

- A. 1.1×10^4 turbines
B. 5.6×10^7 turbines
C. 3.3×10^7 turbines
D. 1.3×10^8 turbines

Solution: $1320 \text{ MTOE} = 5.5 \times 10^{20} \text{ J}$, $A = 2827 \text{ m}^2$

$P_t = (0.5 \times \rho \times A \times u_0^3 \times 0.7 \times 0.59)/3 = 513 \text{ kW per turbine} = 1.62 \times 10^{13} \text{ J/(turbine.year)}$, so 3.28×10^7 turbines are required.

13. What is the typical efficiency for commercial silicon solar cells?

- A. 8-10 %
B. 15-18%
C. 28-30%
D. 45-48%

14. How large an area needs to be covered with solar cells to generate 11 TWh of electric energy in one year? Assume that the annual solar irradiation is 900 kWh.m^{-2} and that the commercial solar cell has a typical efficiency.

- A. 42 km^2
B. 81 km^2
C. 102 km^2
D. 1640 km^2

The amount of solar electricity generated by the solar cells can be expressed as: $E_{sc} = E_{sun} \eta_{sc} A_{sc}$, where E_{sun} is the incoming solar energy, η_{sc} the solar cell efficiency, typically 15%, and A_{sc} is the area of the solar cells that we want to calculate. To generate 11 TWh, the area needed is found by setting $E_{sc} = 11 \text{ TWh}$ and solving for A_{sc} :

$$A = E_{sc} / (E_{sun} \eta_{sc}) = 11 \times 10^{12} \text{ Wh} / (900 \times 10^3 \text{ Wh/m}^2 \times 0.15) = 8.15 \times 10^7 \text{ m}^2 \sim 81 \text{ km}^2$$

15. The mechanism of extracting energy from biomass is
- A. fusion
 - B. fission
 - C. combustion
 - D. emission of radiation

Part 2. Calculations (40%)

Answer all questions. The number in brackets represents the contribution of each sub-question to the total score. Each problem counts for 10 points.

All questions should be answered. NO CREDIT will be given for a correct numerical answer unless the work is shown in all details!

The answers can be written by hand.

1. The oceans contain about $1.3 \times 10^{24} \text{ cm}^3$ of water. Deuterium constitutes 0.028% by mass of natural hydrogen.

- a) What is the total energy in Joules available from this Deuterium by D-D fusion? Assume 4.0 MeV per fusion event. (5)

Solution:

a) $(1.3 \times 10^{24} \text{ cm}^3)(1.02 \text{ g/cm}^3) = 1.33 \times 10^{24} \text{ g H}_2\text{O}$; $\sim 2/18$ of this is hydrogen, and 2.8×10^{-4} of that is Deuterium, so $4.13 \times 10^{19} \text{ g D}$. Atomic number 2 \rightarrow each 2 grams contains 6.02×10^{23} atoms. It takes two D for each fusion event. Energy available $(1.24 \times 10^{43} \text{ atoms}/2(\text{atoms/fusion}))(4 \times 10^6 \text{ eV/fusion})(1.6 \times 10^{-19} \text{ J/eV}) = 3.97 \times 10^{30} \text{ J}$

- b) For how many years could fusion reactors with 50% efficiency supply 2.0 million MW? (5)

Solution:

b) Reactor energy input per year $= (1/0.5) (2 \times 10^{12} \text{ J/s}) (3.15 \times 10^7 \text{ s/year}) = 1.26 \times 10^{20} \text{ J}$ (Total available)/(use per year) $\sim 3 \times 10^{10}$ years. The hard parts are extracting the D from the ocean and building the reactors...

2. Calculate the power in megawatts during outflow from a tidal power plant that encloses a rectangular area of 1×2.5 km, and which fills to a height of 3.6 m above the outlet. Assume an efficiency of 94%, and an emptying time of 1.5 hour. (10)

Solution:

$$P = \eta \frac{mg \left(\frac{h}{2} \right)}{t}$$

$$= 0.94 \frac{\left(1 \times 10^3 \text{ m} \cdot 2.5 \times 10^3 \text{ m} \cdot 3.6 \text{ m} \cdot 1.02 \times 10^3 \frac{\text{kg}}{\text{m}^3} \right) \cdot 9.8 \frac{\text{m}}{\text{s}^2} \cdot \frac{3.6}{2} \text{ m}}{5400 \text{ s}} = 28.2 \text{ MW}$$

3. The world primary energy consumption 5 years ago was approximately 13 000 Mtoe. Assuming that flat panel solar cells at a sunny location in Spain can harvest 8 kWh/m²/day, what area is required (at that location) to supply the energy needs of the earth? (10)

Solution:

$$13000 \text{ Mtoe} = 13 \times 10^9 \text{ toe} / (8.6 \times 10^{-5} \text{ toe/kWhr}) = 1.5 \times 10^{14} \text{ kWhr/year} \quad (8 \text{ kWhr/day-m}^2) \cdot 365 = 2920 \text{ kWhr/m}^2$$

$$1.5 \times 10^{14} \text{ kWhr} / (2920 \text{ kWhr/m}^2) = 5.2 \times 10^{10} \text{ m}^2$$

4. In a submitted patent an inventor claims to have developed a novel heat engine that operates with a not so hot nonpolluting flame at 150C and transfers waste heat to the environment at 20C. His promotional flyer claims that 45% of the fuel energy is converted into useful work. Calculate the maximum efficiency of such an engine and compare it to the claim. (10)

Carnot efficiency of this engine is 31%, which is less than 45% claimed by the inventor.

APPENDIX

Energy conversion factors

	J	kWh	Btu	toe
1 Joule (J)	1	2.78×10^{-7}	9.5×10^{-4}	2.38×10^{-11}
1 kilowatt-hr (kWh)	3.6×10^6	1	3413	8.6×10^{-5}
1 calorie (cal)	4.184	1.16×10^{-6}	3.97×10^{-3}	1×10^{-10}
1 British thermal unit (Btu)	1055	2.93×10^{-4}	1	2.5×10^{-8}
1 Electron volt (eV)	1.6×10^{-19}	4.45×10^{-26}	1.52×10^{-22}	3.8×10^{-30}

Storage material	MJ per kilogram	MJ per liter (litre)
Deuterium–tritium	330 000 000	0.14
Uranium-235	83 140 000[3]	1 546 000 000
Hydrogen (compressed at 70 MPa)	123	5.6
Gasoline (petrol) / Diesel	~46	~36
Propane (including LPG)	46.4	26
Fat (animal/vegetable)	37	
Coal	24	
Carbohydrates (including sugars)	17	
Protein	16.8	
Wood	16.2	

Density of water $1.02 \times 10^3 \text{ kg/m}^3$

density of air $\sim 1.2 \text{ kg/m}^3$

acceleration due to gravity 9.8 m/sec^2

Avogadro's number 6.02×10^{23} (# per mole)

Formulas

$$P(t) = \frac{1}{\beta} \left(1 - \frac{Q(t)}{Q_{\infty}} \right) Q(t)$$

$$Q(t) = \frac{Q_{\infty}}{1 + Ae^{-t/\beta}}$$

$$P(t) = P_0 \left(\frac{Q_{\infty}}{Q_0} \right)^2 \frac{e^{-t/\beta}}{(1 + Ae^{-t/\beta})^2}$$

$$\beta = (Q_{\infty} - Q_0) \frac{Q_0}{Q_{\infty} P_0}$$

$$t_m = \left(1 - \frac{Q_0}{Q_{\infty}} \right) \frac{Q_0}{P_0} \ln \left(\frac{Q_{\infty}}{Q_0} - 1 \right)$$

$$P_m = P(t_m) = \frac{Q_{\infty}^2 * P_0}{4Q_0(Q_{\infty} - Q_0)}$$

$$P = \frac{\Delta E}{\Delta t}$$

$$\eta = 1 - \frac{Q_L}{Q_H}$$

$$\eta_{carnot} = 1 - \frac{T_L}{T_H}$$

$$COP = \frac{Q_H}{Q_H - Q_L} = \frac{T_H}{T_H - T_L}$$

$$E = \frac{hc}{\lambda}; \quad hc = 1.98 \times 10^{-25} \text{ J} \cdot \text{m}$$

$$hc = 1.23 \times 10^{-6} \text{ eV} \cdot \text{m}$$

$$P = I^2 R$$

$$\frac{P}{A} = \epsilon \sigma T^4 \quad \sigma = 5.67 \times 10^{-8} \text{ Wm}^{-2}\text{K}^4$$

$$I_0 \frac{\pi R^2}{4\pi R^2} = 342 \text{ W/m}^2$$

$$\frac{1}{4} I_0 = \frac{1}{4} \alpha I_0 + I_A$$

$$\lambda_m [\mu\text{m}] = \frac{2898}{T(\text{K})}$$

$$E_{pot} = mgh = \rho Vgh$$

$$E_{kin} = \frac{1}{2} mv^2$$

$$\frac{P}{A} = 6.1 \times 10^{-4} \text{ v}^3 [\text{kW/m}^2]$$

$$A = \pi r^2 = \pi \left(\frac{d}{2} \right)^2$$

$$\frac{\Delta Q}{\Delta t} = \frac{A}{R} \Delta T = AU \Delta T$$

$$R = 1/k$$

$$Q = mC\Delta T$$

$$m = \rho V$$

$$F = ma = m \frac{\Delta v}{\Delta t}$$

$$V = IR$$

$$J = E * c g \sim 1 \text{ kW/m}^3 \text{ s} * T \text{ H}^2$$

$$P = 0.59 \text{ A/2}(\rho u^3)$$

Periodic Table of the Elements

1 H Hydrogen 1																		2 He Helium 4																		
2 Li Lithium 3	3 Be Beryllium 9																	5 B Boron 11		6 C Carbon 12	7 N Nitrogen 14	8 O Oxygen 16	9 F Fluorine 19	10 Ne Neon 20												
11 Na Sodium 23	12 Mg Magnesium 24																	13 Al Aluminum 27	14 Si Silicon 28	15 P Phosphorus 31	16 S Sulfur 32	17 Cl Chlorine 35.5	18 H Argon 40													
19 K Potassium 39	20 Ca Calcium 40	21 Sc Scandium 45	22 Ti Titanium 48	23 V Vanadium 51	24 Cr Chromium 52	25 Mn Manganese 55	26 Fe Iron 56	27 Co Cobalt 59	28 Ni Nickel 59	29 Cu Copper 64	30 Zn Zinc 65	31 Ga Gallium 70	32 Ge Germanium 73	33 As Arsenic 75	34 Se Selenium 79	35 Br Bromine 80	36 Kr Krypton 84	37 Rb Rubidium 86	38 Sr Strontium 88	39 Y Yttrium 89	40 Zr Zirconium 91	41 Nb Niobium 93	42 Nb Niobium 96	43 Tc Technetium 98	44 Ru Ruthenium 101	45 Rh Rhodium 103	46 Pd Palladium 106	47 Ag Silver 108	48 Cd Cadmium 112	49 In Indium 115	50 Sn Tin 119	51 Sb Antimony 122	52 Te Tellurium 128	53 I Iodine 127	54 Xe Xenon 131	
55 Cs Cesium 133	56 Ba Barium 137	57 La Lanthanum 139	58 Hf Hafnium 179	73 Ta Tantalum 181	74 W Tungsten 184	75 Re Rhenium 186	76 Os Osmium 190	77 Ir Iridium 192	78 Pt Platinum 195	79 Au Gold 197	80 Hg Mercury 201	81 Tl Thallium 204	82 Pb Lead 207	83 Bi Bismuth 209	84 Po Polonium 210	85 At Astatine 210	86 Rn Radon 222	87 Fr Francium 223	88 Ra Radium 226	89 Ac Actinium 227	Unq Ununquadium 257	Unp Ununpentium 260	Unh Ununhexium 263	Uns Ununseptium 262	Uno Ununoctium 265	Uue Ununennium 266										

2
He
Helium
4

← Proton number
← Symbol
← Name of element
← Relative atomic mass

58 Ce Cerium 140	59 Pr Praseodymium 141	60 Nd Neodymium 144	61 Pm Promethium 147	62 Sm Samarium 150	63 Eu Europium 152	64 Gd Gadolinium 157	65 Tb Terbium 159	66 Dy Dysprosium 163	67 Ho Holmium 165	68 Er Erbium 167	69 Tm Thulium 169	70 Yb Ytterbium 173	71 Lu Lutetium 175
90 Th Thorium 232	91 Pa Protactinium 231	92 U Uranium 238	93 Np Neptunium 237	94 Pu Plutonium 244	95 Am Americium 243	96 Cm Curium 247	97 Bk Berkelium 247	98 Cf Californium 249	99 Es Einsteinium 254	100 Fm Fermium 253	101 Md Mendelevium 256	102 No Nobelium 254	103 Lr Lawrencium 257

Heat of combustion (calorific value) of various fuels.

Fuel	MJ/kg	MJ/L
Wood green	~ 8	~ 6
Wood oven dry	~ 16	~ 12
Methane	56	0.038
petrol/gasoline	47	37
crude oil	44	35
Coal	27	